

FIG. 1A




FIG. 1B

E.coli B.halodurans S.epidermidis S.aureus B.subtilis	1 1 1 1 1 1	SMVSRY PDMGDEIWVD FDPTKGSEQAGHRFAVVLSPFMYNNKTGMCLCVPMVSRY PDMGDEIWVD FDPTKGSEQAGHRFAVVLSPFMYNNKTGMCLCVPMPVPDRGNLVYVD FNPQSGHDQAGTRLAIVLSPKLFNKNTGFAVVCPMTRRGDVYLADLSPVQGSEQGVKFVVIIQNFTGNKYSPTVIVAAMTRRGDVYLADLSPVQGSEQGVKFVVIIQNFTGNKYSPTVIVAAMIVKRGDVYFADLSPVGGSEQGVKFVLVIQNFIGNRFSPTAIVAA
N.meningitidis M.morganii M.tuberculosis	1 1 1	MYIPDKGDIFHLNEDFSSGKUIKGGFALAL: PKAFURATGLVFACP MRRRLVRRKSDMEKGEIWLVSLDFTA: HEGO: THEVLIVTPAAFIRVTRLPVVVP MMRRGEIWQVDLDFARGSEANNOKKAVVV: NERANATATRLGRGVITVVP
		G ▲
E.coli	51	CUTOSKGYPFEVVLSGOEROGVALADOVKSIAWRAFGATKKGTVAPEELQLIKA
B.halodurans S.epidermidis	48 46	ITROQKGYPFETEIPPGLPIEGVILTD;VKSLLWRAPNFHIKGQAPEETVTDCLQ ITDGTNKAKIPTHVEIEKKKYKLDKGSVILLEQIPTLLK-KNLKEKLTFISESKMIEVDN
S.aureus		
B.subtilis	47	ITAQIQKAKLPTHVEIDAKRYGFERUSVILLEQIPTILK-QRUTDKTTHLDDEMEDKVDE
N.meningitidis	48	ISQGNAAAARSSGMISTLLGASTETQENVHCH, LKSLIWQIFKASFKETVPDYVLDDVLA
M.morganii		VTSGGN-FARTAGFAVSLDGAGIRTTGVVRCDOPFTILMKAFGGKRLERVPETIMDDVLG
M.tuberculosis	51	ŸTSNIA-KVYPFQVLLSATTTGLQVDCKAQAEGIRSIAT-ERLLRPIGRVSAAELAQEDE
E.coli		KINVLIG
B.halodurans		LIHTFLS
S.epidermidis		
S.aureus		
B. subtilis	106 108	ALQISLALIDF
N.meningitidis M.morganii	115	RIATIT
M.tuberculosis		ALKLHLD WS




FIG. 2A




FIG. 2B





FIG. 2C



8

(mq2×001) noits roop room is \mathbb{R}^{25} and \mathbb{R}^{25} and \mathbb{R}^{25} and \mathbb{R}^{25} and \mathbb{R}^{25} 8

9

120






FIG. 3A













FIG. 4D























FIG. 1









6 8 10 20 (μM) 12 16 20 40 (μM)



4G. 19





.FIG. 1






FIG. 19

FIG. 20A

Nucleic acid sequence of *Escherichia coli MazF* gene (NP_289336.1)

atggta agccgatacg tacccgatat gggcgatctg atttgggttg attttgaccc gacaaaaggt agcgagcaag ctggacatcg tccagctgtt gtcctgagtc ctttcatgta caacaacaaa acaggtatgt gtctgtgtgt tccttgtaca acgcaatcaa aaggatatcc gttcgaagtt gttttatccg gtcaggaacg tgatggcgta gcgttagctg atcaggtaaa aagtatcgcc tggcgggcaa gaggagcaac gaagaaagga acagttgccc cagaggaatt acaactcatt aaagccaaaa ttaacgtact gattgggtag

FIG. 20B

Amino acid sequence of *Escherichia coli* MazF protein (NP_289336.1)

MVSRYVPDMG DLIWVDFDPT KGSEQAGHRP AVVLSPFMYN NKTGMCLCVP CTTQSKGYPF EVVLSGQERD GVALADQVKS IAWRARGATK KGTVAPEELQ LIKAKINVLI G

FIG. 21A

Nucleic acid sequence of Escherichia coli MazE gene

FIG. 21B

Amino acid sequence of Escherichia coli MazE protein

MIHSSVKRWGNSPAVRIPATLMQALNLNIDDEVKIDLVDGKLIIEPVRKEPVFTLAELVN DITPENLHENIDWGEPKDKEVW FIG. 22A: Nucleic acid sequence of Bacillus halodurans MazF gene (SEQ ID NO: 39)

atgccagtac cggatagagg gaatcttgtt tatgtagact ttaacccaca atcgggtcat gaccaagccg ggacacgacc ggctattgtt ttgtcccta aattattaa taaaaacaca ggttttgcgg tggtttgtcc aattaccaga caacaaaaag gttatccttt tgaaatagaa ataccaccgg ggttacctat tgaaggggtt attcttactg accaagtaaa aagtctggat tggagagcaa gaaactttca cattaaagga caagcaccag aggaaactgt tactgattgt

FIG. 22B: Nucleic acid sequence of Staphylococcus epidermidis MazF gene (SEQ ID NO: 40)

atgattagaag aggagatgtt tatttagcgg atttatcacc agttcaaggg tctgaacaag ggggagtaag acctgtagtt atcattcaaa atgatactgg taataaatat agtccaactg taattgtagc tgcgattact gatgggatta ataaagcgaa aataccaacc cacgtagaaa ttgaaaagaa cactagataa aaagtataaa ttagacaaag attcagttat tcttcttgaa aaagcgttta aaagaaaaat taacattttt atcagagagt caaattagaa aaaatgatag aggttgataa tgccttagat attagtttgg gattaaataa ctttgatcat cataaatcttaa

FIG. 22C: Nucleic acid sequence of Staphylococcus aureus MazF gene (SEQ ID NO: 41)

atgattagac gaggagatgt ttatttagca gatttatcac cagtacaggg atctgaacaa gggggagtca gacctgtagt cataattcaa aatgatactg gtaataaata tagtcctaca gtaattgtig cggcaataac tggtaggatt aataaagcga aaataccgac acatgtagag atcgaaaaga aaaagtataa gttggataaa gactcagtta tattattaga acacattcgt aaaaacgatt gaaagaaaaa ctgacgtact tatccgatga taaaatgaaa gagtagata atgcactaat gattagtta gggctgaatg cagtagctca accagaaaaa tattgatataa

FIG. 22D: Nucleic acid sequence of Bacillus subtilis MazF gene (SEQ ID NO: 42)

ttgattgtgaa acgcggcgat gtttattttg ctgatttatc tcctgttgtt ggctcagagc aaggcggggt gcgcccggtt ttagtgatcc aaaatgacat cggaaatcgc ttcagcccaa ctgctattgt tgcagccata acagcacaaa tacagaaagc gaaattacca acccacgtcg aaatcgatgc aaaacgctac ggttttgaaa gagattccgt tattttgctg gagcaaattc tctggatgat gaaatgatgg tattttgctg ggacgattga caagcaaagg ttaacggata agattactca ataaggttga tgaagcctta caaatcagtt tggcactcat tgatttttag

FIG. 22E: Nucleic acid sequence of Neisseria meningitides MC58 MazF gene (SEQ ID NO: 43)

atggat atggtagtac gcggcggaat ctatctggtc tccttagacc cgaccgtagg aagcgaaatc aaaaagacac gtccttgtgt cgtagtctct cctcctgaaa tacacaacta tctcaagact gtgctgatcg ttcccatgac gagcggaagc cgtcctgccc cgttccgcgt caatgtccgc tttcaggata aagacggttt acttttgccc gaacagatta gggctgtgga taaagccgga ttggtcaaac atcttggcaa tttagacaac agtacggctg aaaaactgtt tgcagtattg caggagatgt ttgcctga

FIG. 22F: Nucleic acid sequence of Morganella morgani MazF gene (SEQ ID NO: 44)

atgcgccgg cggctggtca ggaggaaatc tgacatggaa agaggggaaa tctggcttgt ctcgcttgac cctaccgcag gtcatgagca gcagggaacg cggccggtac tgattgtcac gccggctgct tttaaccgcg tgacccgcct gcctgttgtt gtgcccgtga ccagcggagg taattttgcc cgcacagcag gctttgctgt gtcgcttgac ggcgccggca tacgtaccac cggcgttgtg cgttgcgatc aaccccggac gatcgatatg aaagcccgcg gcggcaaacg actcgaacgg gtgccagaga ctatcatgga cgacgttctt ggccgtctgg ccaccatcct gacctga

FIG. 22G: Nucleic acid sequence of Mycobacterium tuberculosis MazF gene (SEQ ID NO: 45)

gtggtgattc ggggagcggt ctacagggtc gacttcggcg atgcgaagcg aggccacgag caacgcgggc ggcgctacgc cgtggtcatc agccccggct cgatgccgtg gagtgtagta accgtggtgc cgacgtcgac aaggcgccaa cctgcggttt tccgaccaga gctggaagtc atgggaacaa agacacggtt cctggtggat cagatccgga cgatcggcat cggtcgacta tctggaccgt gaccaaatgg ccaaggtgga acacgccgtg gaccaaatgc ccaaggtgga

FIG. 22H: Nucleic acid sequence of Bacillus anthracis MazF gene (SEQ ID NO: 79)

tt gattgtaaaa cgcggcgacg tgtattttge agacctttce ccagttgttg gttctgagca aggaggtgtt cgtccggttc ttgtcattca aaatgacatc ggaaatcgtt ttagtccaac ggtgattgta gcggctatta ctgcacagat tcaaaaagcg aaattaccca ctcatgtgga aattgatgcg aaaaagtacg gttttgagag agattctgtt atttacttg agcagattcg aacaatcgat aagcagcgct taacggacaa aatcactcac ttagatgaag tgatgatgat tcgtgtagat gaagcgctac aaattagttt aggactaata gatttttaa

FIG. 23A: Amino acid sequence of Bacillus halodurans MazF (NP_244588.1) (SEQ ID NO: 46)

MPVPDRGNLV YVDFNPQSGH DQAGTRPAIV LSPKLFNKNT GFAVVCPITR QQKGYPFEIE IPPGLPIEGV ILTDQVKSLD WRARNFHIKG QAPEETVTDC LQLIHTFLS

FIG. 23B: Amino acid sequence of Staphylococcus epidermidis MazF (AAG23809.1) (SEQ ID NO: 47)

MIRRGDVYLA DLSPVQGSEQ GGVRPVVIIQ NDTGNKYSPT VIVAAITDGI NKAKIPTHVE IEKKKYKLDK DSVILLEQIR TLDKKRLKEK LTFLSESKMI EVDNALDISL GLNNFDHHKS

FIG. 23C: Amino acid sequence of Staphylococcus aureus MazF (NP_372592.1) (SEQ ID NO: 48)

MIRRGDVYLA DLSPVQGSEQ GGVRPVVIIQ NDTGNKYSPT VIVAAITGRI NKAKIPTHVE IEKKKYKLDK DSVILLEQIR TLDKKRLKEK LTYLSDDKMK EVDNALMISL GLNAVAQPEK LGVYYMYFSE INKILI

FIG. 23D: Amino acid sequence of Bacillus subtilis (1NE8_A) MazF (SEQ ID NO: 49)

MIVKRGDVYF ADLSPVVGSE QGGVRPVLVI QNDIGNRFSP TAIVAAITAQ IQKAKLPTHV EIDAKRYGFE RDSVILLEQI RTIDKQRLTD KITHLDDEMM DKVDEALQIS LALIDF

FIG. 23E: Amino acid sequence of Neisseria meningitides MC58 MazF (NP_266040.1) (SEQ ID NO: 50)

MYIPDKGDIF HLNFDPSSGK EIKGGRFALA LSPKAFNRAT GLVFACPISQ GNAAAARSSG MISTLLGAGT ETQGNVHCHQ LKSLDWQIRK ASFKETVPDY VLDDVLARIG AVLFD

FIG. 23F: Amino acid sequence of Morganella morgani MazF (AAC82516.1) (SEQ ID NO: 51)

MRRRLVRRKS DMERGEIWLV SLDPTAGHEQ QGTRPVLIVT PAAFNRVTRL PVVVPVTSGG NFARTAGFAV SLDGAGIRTT GVVRCDQPRT IDMKARGGKR LERVPETIMD DVLGRLATILT

FIG. 23G: Amino acid sequence of Mycobacterium tuberculosis MazF (NP_217317.1) (SEQ ID NO: 52)

MMRRGEIWQV DLDPARGSEA NNQRPAVVVS NDRANATATR LGRGVITVVP VTSNIAKVYP FQVLLSATTT GLQVDCKAQA EQIRSIATER LLRPIGRVSA AELAQLDEAL KLHLDLWS FIG. 23H: Amino acid sequence of Bacillus anthracis MazF (NP 842807) (SEQ ID NO: 80)

MIVKRGDVYF ADLSPVVGSE QGGVRPVLVI QNDIGNRFSP TVIVAAITAQ IQKAKLPTHV EIDAKKYGFE RDSVILLEQI RTIDKQRLTD KITHLDEVMM IRVDEALQIS LGLIDF FIG. 24A: Nucleic acid sequence of Deinococcus radiodurans mazE gene (SEQ ID NO: 53)

FIG. 24B: Nucleic acid sequence of $Bacillus\ halodurans\ mazE$ gene (SEQ ID NO: 54)

FIG. 24C: Nucleic acid sequence of Plasmid R100 pemI gene (SEQ ID NO: 55)

atgcataccacccgactgaagagggttggcggctcagttatgctgaccgtcccaccggcactgctgaatgcgctgtctctgggcacagataatgcagttggcatggtcattgataatggccggctgattgttgagccgtacagacgcccgcaatattcactggctgagctactggcacagtgtgatccgaatgctgaaatatcagctgaagaacgagaatggctggatgcaccggcgactggtcaggaggaaatctga

FIG. 24D: Nucleic acid sequence of Plasmid R466b pemI gene (SEQ ID NO: 56)

FIG. 24E: Nucleic acid sequence of Escherichia coli chps gene (SEQ ID NO: 57)

FIG. 24F: Nucleic acid sequence of *Pseudomonas putida* KT2440 mazE gene (SEO ID NO: 58)

atgcagatcaagattcaacagtggggcaacagcgccgcgatccgcttgcccgccgcagtactcaagcagatg cgcctcggtgtcggctccaccctgagccttgacacaacgggtgagacgatggtgctcaaacccgtcaggtcg aaacccaagtacacccttgaggaactgatggcccagtgtgacctgagtgcaccggagccagaggacatggccgactggaatgccatgcgcatgcgcatgggcgtgaagtgtga

FIG. 24G: Nucleic acid sequence of Photobacterium profundum mazE gene (SEQ ID NO: 59)

gtgcaatgagaactcagataagaaagatcggtaactcacttggttcaattattcctgccacttttattcgtc agcttgaactggcagagggcgcagaaattgatgttaaaacggttgatggaaaaattgtgattgagccaatta gaaaaatgaaaaaacgtttcccattcagtgagcgtgaattactaagtggattggattggatgcacacactgctcatg ctgacgaactggttgtaatttctacccaggagctaggcgaataa

FIG. 25A: Amino acid sequence of *Deinococcus radiodurans* MazE (GenBank Accession No. NP_294139) (SEQ ID NO: 60)

MTSQIQKWGN SLALRIPKAL AQQVGLTQSS EVELLLQDGQ IVIRPVPARQ YDLAALLAEM TPENLHGETD WGALEGREEW

FIG. 25B: Amino acid sequence of Bacillus halodurans MazE (GenBank Accession No. NP_244587) (SEQ ID NO: 61)

MTLMTTIQKW GNSLAVRIPN HYAKHINVTQ GSEIELSLGS DQTIILKPKK RKPTLEELVA KITPENRHNE IDFGRTGKEL L

FIG. 25C: Amino acid sequence of PemI plasmid R100 (GenBank Accession No. NP_052993) (SEQ ID NO: 62)

MHTTRLKRVG GSVMLTVPPA LLNALSLGTD NEVGMVIDNG RLIVEPYRRP QYSLAELLAQ CDPNAEISAE EREWLDAPAT GQEEI

FIG. 25D: Amino acid sequence of PemI plasmid R466b (GenBank Accession No. AAC82515) (SEQ ID NO: 63)

MLYLNITFME GKMHTTRLKK VGGSVMLTVP PALLNALSLG TDNEVGMVID NGRLIVEPHR RPQYSLAELL AQCDPNAEIS AEEREWLDAP AAGQEEI

FIG. 25E: Amino acid sequence of Escherichia coli ChpS (GenBank Accession No. NP_290856) (SEQ ID NO: 64)

MQMRITIKRW GNSAGMVIPN IVMKELNLQP GQSVEAQVSN NQLILTPISR RYSLDELLAQ CDMNAAELSE QDVWGKSTPA GDEIW

FIG. 25F: Amino acid sequence of *Pseudomonas putida* MazE KT2440 (GenBank Accession No. NP_742931) (SEQ ID NO: 65)

MQIKIQQWGN SAAIRLPAAV LKQMRLGVGS TLSLDTTGET MVLKPVRSKP KYTLEELMAQ CDLSAPEPED MADWNAMRPV GREV

FIG. 25G: Amino acid sequence of *Photobacterium profundum* MazE (GenBank Accession No. AAG34554) (SEQ ID NO: 66)

AMRTQIRKIG NSLGSIIPAT FIRQLELAEG AEIDVKTVDG KIVIEPIRKM KKRFPFSERE LLSGLDAHTA HADELVVIST QELGE








FIG. 27A







PCT/US2004/018571



atggaaagag gggaaatctg gcttgtctcg cttgatccta ccgcaggtca tgagcagcag ggaacgcggc cggtgctgat tgtcacaccg gcggccttta atcgcgtgac ccgcctgctt gttgttgtc ccgtaaccag cggaggcaat tttgcccgca ctgccggctt tgcggtgtcg ttggatggtg ttggcatacg taccacaggt gttgtacgtt gcgatcaacc ccggagacatt gatatgaaag cacggggcgg aaaacgactc gaacgggttc cggagactat catgaacgaa gttcttggcc gcctgtccac tattctgact tga

... FIG. 31A

MERGEIWLVS LDPTAGHEQ QGTRPVLIVT PAAFNRVTRL PVVVPVTSGG NFARTAGFAV SLDGVGIRTT GVVRCDQPRT IDMKARGGKR LERVPETIMN EVLGRLSTILT

FIG. 31B

atgcatacca cccgactgaa gagggttggc ggctcagtta tgctgaccgt cccaccggca ctgctgaatg cgctgtctct gggcacagat aatgaagttg gcatggtcat tgataatggc cggctgattg ttgagccgta cagacgcccg caatattcac tggctgagct actggcacag tgtgatccga atgctgaaat atcagctgaa gaacgagaat ggctggatgc accggcgact ggtcaggagg aaatctga

FIG. 32A

MHTTRLKRVG GSVMLTVPPA LLNALSLGTD NEVGMVIDNG RLIVEPYRRP GYSLAELLAQ CDPNAEISAE EREWLDAPAT GQEEI

FIG. 32B




FIG. 33




FIG. 34

Human Eotaxin Sequence


G P A S V AUG GGU CCA GCA UCU GUU

R K I P L Q R L E S Y CGC AAA AUU CCG CUG CAG CGC CUG GAA AGC UAU

Q K A V I F K T K CAG AAA GCG GUG AUC UUU AAA ACC AAA

C A D J UGC GCG GAU

35






FIG. 3





FIG.39A

Thrombin MGSSHHHHHHHSSGLVPRGSH(MazF)

FIG.39B







FIG.40

FIG.41A

```
RV0456A
RV2801c
1 -----MKRGEIWQVDLDPARGSAANMERPAVIVSNDRANAAAIRLDRGV
Rv1991c
Rv1942c
Rv
```

FIG.41B



M V S R Y V P D M G D L I W V D F D P T

AUG GUA AGC CGA UAC GUA CCC GAU AUG GGC GAU CUG AUU UGG GUU GAU UUU GAC CCG ACC

K G S E Q A G H R P A V V L S P F M Y N

AAA GGU AGC GAG CAA GCU GGC CFU CGU CCA GCU GUU GUC CUG AGU CCU UUC AUG UAU AAU

A C C C

N K T G M C L C V P C T T Q S K G Y P F

APH AAA ACC GGU AUG UGU CUG UGU GCU UGU ACC CAA UCA AAA GGA UAU CCG UUC

C A A

E V V L S G Q E R D G V A L A D Q V K S

GAA GUU GUU UUA UCC GGU CAG GAA CGU GAU GGC GUA GCU GUU GCU GAU CAG GUA AAA AGU

I A W R A R G AA T K K G T V A P E E L Q

AUC GCC UGG CGG GCA AGA GGA GCA ACG AAG AAA GGA ACC GUU GCC CCA GAG GAA CUG CAA

L I K A K I N V L I G

CUC AUU AAA GCC AAA AUU AAC GUA CUG AUU GGG UAG

FIG. 43A nucleic acid sequence of Mazf-mt1 (NP_217317) (SEQ ID NO: 69)

gtgatgegee geggtgagat ttggeaggte gatetegace eegetegagg tagegaageg aacaaceage geeegeegt egtegteage aacgaeeggg eeaacgegae egtegtgeeg gegteateae egtegtgeeg gtgaegagea acategeeaa ggeeaggee gageaaatea gategattge taeegagegg ttgeteegge eaateggeeg agteteagee geegaaettg eeagetega tgaggetttg aaactgeate tegaettatg gtegtag

FIG. 43B nucleic acid sequence of Mazf-mt2 (CAE55283) (SEQ ID NO: 70)

atgctgcgcg gtgagatctg gcaggtcgac ctggatccgg cccgcggcag cgcggcaaat atgcggcggc cagcggtaat tgtcagcaac gacagggcca acgctgccgc gatacgtctc gaccgaggcg tggtgccggt tgtcccggtt accagcaaca ccgaaaaggt ccccattcca ggtgttgttg ccggcagcga gcggtggcct ggccgtcgat tcgaaggcgc aggcccagca ggttggatcc gtcgctgcc aacgtetccc ctgccgagct ga

FIG. 43C nucleic acid sequence of Mazf-mt3 (CAA98393) (SEQ ID NO: 71)

gtggtgatta gtcgtgccga gatctactgg gctgacctcg ggccgccatc aggcagtcag ccggcgaagc gccgccggt gctcgtaatc cagtcagatc cgtacaacgc aagtcgcctt gccactgtga tcgcagcggt gatcacgtcc aatacggcgc tggcggcaat gcccgggcaac gtgttcttgc ccgcgaccac aacgcgactg ccacgtgact cggtcgtcaa cgtcacggcg attgtcacgc tcaacaagac tgacctcacc gaccgagttg gggaggtgcc agcgagcttg atgcacgagg ttgaccgagg acttcgtcgc gtactggacc tttga

FIG. 43D nucleic acid sequence of Mazf-mt4 (CAB09387) (SEQ ID NO: 72)

atgcggcgcg gtgaattgtg gtttgccgcc acacctggtg gtgacagacc agtacttgtc cttaccagag atccggtgc agaccgcatc ggcgcggtcg ttgtgggtggt cctaacccggc acccgccgag gcctggtgtc ggaattggag ctcacggccg tcgaaaaccg tgttccgagc gactgcgtcg tcaacttcga caacattcat acgttgccac gcaccgcatt ccgacgccgc atcacccggc tgtccccggc ccgcctgcac gaagcctgtc aaacactccg ggggtgttga

FIG. 43E nucleic acid sequence of Mazf-mt5 (CAB06519) (SEQ ID NO: 73)

gtgaccgcac ttccggcgcg cggagaggtg tggtggtgt agatggctga gatcggtcgg cgaccagtcg tcgtgctgtc gcgcatgcc gcgatccctc ggctgcacacat ccgagggcta gccagtgagg ttgttcttga acccggttcc gacccgatcc cgcgccgttc cgcggtgaat ttggactcag tcgaaagtgt ctcggtggg tattggtga atcggcttgg ccgctcgcc gacatccgga tcgagggca tcgagggccat ctgcagggcccctcgagggccat ccgcagggccat ctccgaggcc

FIG. 44A amino acid sequence of Mazf-mt1 (NP_217317) (SEQ ID NO:74)

MMRRGEIWQV DLDPARGSEA NNQRPAVVVS NDRANATATR LGRGVITVVP VTSNIAKVYP FQVLLSATTT GLQVDCKAQA EQIRSIATER LLRPIGRVSA AELAQLDEAL KLHLDLWS

FIG. 44B amino acid sequence of Mazf-mt2 (CAE55283) (SEQ ID NO:75)

MLRGEIWQVD LDPARGSAAN MRRPAVIVSN DRANAAAIRL DRGVVPVVPV TSNTEKVPIP GVVAGSERWP GRRFEGAGPA GWIRRCATSP LPS

FIG. 44C amino acid sequence of Mazf-mt3 (CAA98393) (SEQ ID NO:76)

MVISRAEIYW ADLGPPSGSQ PAKRRPVLVI QSDPYNASRL ATVIAAVITS NTALAAMPGN VFLPATTTRL PRDSVVNVTA IVTLNKTDLT DRVGEVPASL MHEVDRGLRR VLDL

FIG. 44D amino acid sequence of Mazf-mt4 (CAB09387) (SEQ ID NO:77)

MRRGELWFAA TPGGDRPVLV LTRDPVADRI GAVVVVALTR TRRGLVSELE LTAVENRVPS DCVVNFDNIH TLPRTAFRRR ITRLSPARLH EACQTLRAST GC

FIG. 44E amino acid sequence of Mazf-mt5 (CAB06519) (SEQ ID NO:78)

MTALPARGEV WWCEMAEIGR RPVVVLSRDA AIPRLRRALV APCTTTIRGL ASEVVLEPGS DPIPRRSAVN LDSVESVSVA VLVNRLGRLA DIRMRAICTA LEVAVDCSR

Figure 45A nucleic acid sequence of *Pseudomonas putida* Pem-like gene (KT2440) (SEQ ID NO: 81)

```
tcgcgtcaac ctggacccaa cagtcggcg ggaacagcag ggctccggc gacctgcact ggtacttact ccggctgct tcaatgcttc aggctgggat ttcgcgaggc atgcgggtt cgctgct gcaaccaggt gcaaccaggt gcaaccaggt gcaaccaggt gcaaccaggt gcaaccaggt gcaaccaggt gcaaccaggt gcaaccaggt gcacctggat catctgat taa
```

Figure 45B nucleic acid sequence of Mycobacterium celatum Pemlike gene(SEQ ID NO: 82)

```
ggcgacatct acatcgtttc gcttgacccg acgtcgggac atgagcagag cggcacgcgc ccagtattgg tcgtgtccc gggcgcgttt aatcgcctga cgaaaacacc gggcgggaa ctttgcccga acggcagggt tcgctgtctc gctgacaagg cgtaatacgc tgcggtactc gcccgtaaag gccgcaaggt tgaacgtgt ccgtctgggg tcgtcgcaaggt tgaacgtgt ccgtctgggg tctcttgacga agcgttggcc
```

Figure 45C nucleic acid sequence of *Shigella flexneri* 2a str. 301 Pem-like gene(SEQ ID NO: 83)

```
cacatcgtgg tgagatctgg tattttaacc ctgatccggt tgccgggcat gaacttcagg ggccacatta ttgcattgtg gtaacggaca aaaaactcaa caatgtttta aagttgcta tgtgctgcc gattcaaca ggggcaaatg cagcagttc cacaggggtg acggtgaacg tcctccccg tgatacgcaa accggtaacc tgcatggcgt tgtactttgt caccagctaa aagccgtcga tcttattgcc cgtggcgcta aattcatac cgttgccgat gaaaaattga tatcagtaaa ctggtgaatt taatcgaccc acaataa
```

Figure 45D nucleic acid sequence of E. coli ChpBK (SEQ ID NO: 84)

```
ggggagacat tgtgctggtt ggctttgatc cagcaagcgg ccatgaacag caaggtgctg gctgacctgc gcttgtgctc tccgttcaag cctttaatca actgggaatg acgctggtgg gcgaagaagg cgatgtgcac ggcgtggtgc tggtgaatca acgcccggct ggcaaagcgt attggtctg ctgcggatga acgctggtgg ctgcggatg acgctggtggtg tggtgaatca ggtggtggatg acgcggtgtgt ctgcggatga ggtggtggatg ggataa
```

. . .

FIG. 46A amino acid sequence of *Pseudomonas putida* KT2440 Pem-like protein (SEQ ID NO: 85)

MKRLKFARGD IVRVNLDPTV GREQQGSGRP ALVLTPAAFN ASGLAVIIPI TQGGDFARHA GFAVTLSGAG TQTQGVMLCN QVRTVDLEAR FAKRIESVPE AVILDALARV QTLFD

FIG. 46B amino acid sequence of Mycobacterium celatum Pemlike protein (SEQ ID NO: 86)

MTERGDIYIV SLDPTSGHEQ SGTRPVLVVS PGAFNRLTKT PVVLPITRGG NFARTAGFAV SLTDAGTRTA GVIRCDQPRS IDIRARKGRK VERVPSGVLD EALAKLATIL T

FIG. 46C amino acid sequence of Shigella flexneri 2a str. 301 Pem-like protein (SEQ ID NO: 87)

MVKARTPHRG EIWYFNPDPV AGHELQGPHY CIVVTDKKLN NVLKVAMCCP ISTGANAARS TGVTVNVLPR DTQTGNLHGV VLCHQLKAVD LIARGAKFHT VADEKLISEV ISKLVNLIDP Q

FIG. 46D amino acid sequence of $E.\ coli$ ChpBK (SEQ ID NO: 88)

 ${\tt MVKKSEFERGDIVLVGFDPASGHEQQGAGRPALVLSVQAFNQLGMTLVAPITQGGNFARYAGFSVPLHCEEGDVHGVVLVNQVRMMDLHARLAKRIGLAADEVVEEALLRLQAVVE}$

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.